

IN THE CLAIMS

Please amend the claims as follows.

- 1-21. (Canceled)
22. (New) A method of providing web content to a wireless computing device, comprising:
- receiving at a proxy server a first portion of data for a web page;
  - transforming the received first portion of the web page data for display by a web browsing program of the wireless computing device;
  - sending the transformed first portion of the web page data to the wireless computing device; and
  - receiving at the proxy server a second portion of the web page data after the sending of the transformed first portion of the web page data.
23. (New) The method of claim 22, further comprising:
- transforming the received second portion of the web page data for display by the web browsing program; and
  - sending the transformed second portion of the web page data to the wireless computing device.
24. (New) The method of claim 22, the transforming comprising:
- compressing the received first portion of the web page data.
26. (New) The method of claim 22, the transforming comprising:

converting the received first portion of the web page data from HTML to WML.

27. (New) The method of claim 22, the transforming comprising:

converting the received first portion of the web page data from HTML to HDML.

28. (New) The method of claim 22, the transforming comprising:

converting the received first portion of the web page data from HTML to PQA.

29. (New) The method of claim 22, the transforming comprising:

converting the received first portion of the web page data from HTML to  
XHTML.

30. (New) The method of claim 22, the transforming comprising:

reformatting the received first portion of the web page data.

31. (New) The method of claim 22, further comprising:

determining a type of the received first portion the web page data,

wherein the transforming is dependent on the type.

32. (New) The method of claim 22, further comprising:

determining a type of the web browsing program,

wherein the transforming is dependent on the type.

33. (New) The method of claim 22, further comprising at least one of:
- determining a size of a display screen of the wireless computing device; and
  - determining at least one preference set by a user of the wireless computing device,
- wherein the transforming is dependent on at least one of the size and the at least one preference.
34. (New) An apparatus, comprising:
- a module arranged to receive a first portion of data for a web page;
  - a module arranged to transform the received first portion of the web page data for display by a web browsing program of a wireless computing device;
  - a module arranged to send the transformed first portion of the web page data to the wireless computing device; and
  - a module arranged to receive a second portion of the web page data after the sending of the transformed first portion of the web page data.
35. (New) The apparatus of claim 34, further comprising:
- a module arranged to transform the received second portion of the web page data for display by the web browsing program; and
  - a module arranged to send the transformed second portion of the web page data to the wireless computing device.
36. (New) The apparatus of claim 34, wherein the first portion of the web page data is received from a web content provider operatively connected to the apparatus.

37. (New) A system, comprising:
- a web content provider arranged to host data for a web page;
  - a proxy server operatively connected to the web content provider; and
  - a wireless computing device operatively connected to the proxy server,
- wherein the proxy server is arranged to receive a first portion of the web page data from the web content provider, transform the received first portion, send the transformed first portion to the wireless computing device, and receive from the web content provider a second portion of the web page data after the sending of the transformed first portion.
38. (New) The system of claim 37, wherein the wireless computing device has a web browser arranged to progressively render web page data received from the proxy server.
39. (New) The system of claim 37, wherein the proxy server is further arranged to transform the received second portion and send the transformed second portion to the wireless computing device.